

- LOCAL PUBLIC HEALTH

LOCAL PUBLIC HEALTH FUNDING
(funding data not available)

NATALITY

| | | | | | | | | | | |
|--|--|--|--------|------------------|--------------------------------|--------|---------|----------------|--------------------------|--|
| TOTAL LIVE BIRTHS | | | 169 | Birth Order | | Births | Percent | Marital Status | | |
| Crude Live Birth Rate | | | 10.4 | First | | 72 | 43 | of Mother | | |
| General Fertility Rate | | | 50.5 | Second | | 46 | 27 | Married | | |
| | | | | Third | | 26 | 15 | Not married | | |
| Live births with reported congenital anomalies | | | 4 | Fourth or higher | | 25 | 15 | Unknown | | |
| | | | . % | Unknown | | 0 | 0 | | | |
| Delivery Type | | | Births | Percent | First Prenatal Visit | | Births | Percent | Education of Mother | |
| Vaginal after | | | | | 1st trimester | | 141 | 83 | Elementary or less | |
| previous cesarean | | | 3 | 2 | 2nd trimester | | 21 | 12 | Some high school | |
| Forceps | | | 1 | 1 | 3rd trimester | | 5 | 3 | High school | |
| Other vaginal | | | 130 | 77 | No visits | | 2 | 1 | Some college | |
| Primary cesarean | | | 21 | 12 | Unknown | | 0 | 0 | College graduate | |
| Repeat cesarean | | | 14 | 8 | | | | | Unknown | |
| Other or unknown | | | 0 | 0 | | | | | | |
| Birth Weight | | | Births | Percent | Number of Prenatal Care visits | | Births | Percent | Smoking Status of Mother | |
| <1,500 gm | | | 0 | 0.0 | No visits | | 2 | 1 | Smoker | |
| 1,500-2,499 gm | | | 5 | 3.0 | 1-4 visits | | 3 | 2 | Nonsmoker | |
| 2,500+ gm | | | 164 | 97.0 | 5-9 visits | | 39 | 23 | Unknown | |
| Unknown | | | 0 | 0.0 | 10-12 visits | | 62 | 37 | | |
| | | | | | 13+ visits | | 63 | 37 | | |
| | | | | | Unknown | | 0 | 0 | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

* - Not reported. Age or race category has less than 5 births

----- MORBIDITY -----

REPORTED* CASES OF SELECTED DISEASES

| Disease | Number |
|-------------------------|--------|
| Campylobacter Enteritis | 10 |
| Giardiasis | <5 |
| Hepatitis Type A | 0 |
| Hepatitis Type B** | 0 |
| Hepatitis NANB/C*** | 0 |
| Legionnaire's | 0 |
| Lyme | 0 |
| Measles | 0 |
| Meningitis, Aseptic | 0 |
| Meningitis, Bacterial | <5 |
| Mumps | 0 |
| Pertussis | 0 |
| Salmonellosis | <5 |
| Shigellosis | 0 |
| Tuberculosis | 0 |

* 1999 provisional data

** Includes all positive HBsAg test results

*** Unavailable at time of printing

Sexually Transmitted Disease

| | |
|--------------------------|----|
| Chlamydia Trachomatis | 8 |
| Genital Herpes | <5 |
| Gonorrhea | <5 |
| Nongonococcal Cervicitis | . |
| Nongonococcal Urethritis | 0 |
| Syphilis | . |

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

| | |
|-------------------|-------|
| Compliant | 3,287 |
| Non-compliant | 1 |
| Percent Compliant | 100.0 |

----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

| | |
|---------------------|-----|
| TOTAL DEATHS | 158 |
| Crude Death Rate | 971 |

| Age | Deaths | Rate |
|-------|--------|--------|
| 1-4 | . | . |
| 5-14 | 1 | . |
| 15-19 | . | . |
| 20-34 | 2 | . |
| 35-54 | 8 | . |
| 55-64 | 15 | . |
| 65-74 | 33 | 2,484 |
| 75-84 | 48 | 5,303 |
| 85+ | 47 | 15,982 |

Infant

| Mortality | Deaths | Rate |
|--------------|--------|------|
| Total Infant | 4 | . |
| Neonatal | 3 | . |
| Postneonatal | 1 | . |
| Unknown | . | . |

Race of Mother

| | | |
|---------|---|---|
| White | 4 | . |
| Black | . | . |
| Other | . | . |
| Unknown | . | . |

Birth Weight

| | | |
|----------------|---|---|
| <1,500 gm | . | . |
| 1,500-2,499 gm | 1 | . |
| 2,500+ gm | 3 | . |
| Unknown | . | . |

Perinatal

| Mortality | Deaths | Rate |
|-----------------|--------|------|
| Total Perinatal | 3 | . |
| Neonatal | 3 | . |
| Fetal | . | . |

| Selected Underlying Cause | Deaths | Rate |
|---------------------------|--------|------|
| Heart Disease (total) | 48 | 295 |
| Ischemic heart disease | . | . |
| Cancer (total) | 40 | 246 |
| Trachea/Bronchus/Lung | . | . |
| Colorectal | 6 | . |
| Female Breast | 2 | .* |
| Cerebrovascular Disease | 9 | . |
| Lower Resp. Disease | . | . |
| Pneumonia & Influenza | 8 | . |
| Injuries | 9 | . |
| Motor vehicle | 3 | . |
| Diabetes | 4 | . |
| Infectious & Parasitic | 3 | . |
| Suicide | 1 | . |

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| | | |
|----------------|---|---|
| Alcohol | 2 | . |
| Other Drugs | 1 | . |
| Both Mentioned | . | . |

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

| Type of Motor Vehicle Crash | Persons Injured | Persons Killed |
|-----------------------------|-----------------|----------------|
| Total Crashes | 203 | 3 |
| Alcohol-Related | 34 | 3 |
| With Citation: | | |
| For OWI | 16 | 1 |
| For Speeding | 6 | 0 |
| Motorcyclist | 4 | 0 |
| Bicyclist | 1 | 0 |
| Pedestrian | 4 | 0 |

----- HOSPITALIZATIONS -----

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|------------------------|--------|---------------------|---------------------------|-------------------|-------------------------|
|------------------------|--------|---------------------|---------------------------|-------------------|-------------------------|

Injury-Related: All

| | | | | | |
|-------|-----|------|-----|----------|-------|
| Total | 114 | 7.0 | 5.3 | \$14,061 | \$99 |
| <18 | 11 | . | . | . | . |
| 18-44 | 22 | 3.7 | 6.0 | \$19,163 | \$71 |
| 45-64 | 20 | 5.7 | 6.2 | \$14,871 | \$85 |
| 65+ | 61 | 24.1 | 4.5 | \$11,694 | \$282 |

Injury: Hip Fracture

| | | | | | |
|-------|----|-----|-----|----------|-------|
| Total | 24 | 1.5 | 4.0 | \$11,641 | \$17 |
| 65+ | 23 | 9.1 | 3.9 | \$11,373 | \$103 |

Injury: Poisonings

| | | | | | |
|-------|---|---|---|---|---|
| Total | 6 | . | . | . | . |
| 18-44 | 1 | . | . | . | . |

Psychiatric

| | | | | | |
|-------|----|-----|-----|---------|------|
| Total | 68 | 4.2 | 6.8 | \$6,578 | \$27 |
| <18 | 13 | . | . | . | . |
| 18-44 | 29 | 4.9 | 4.6 | \$4,088 | \$20 |
| 45-64 | 12 | . | . | . | . |
| 65+ | 14 | . | . | . | . |

Coronary Heart Disease

| | | | | | |
|-------|----|------|-----|----------|-------|
| Total | 94 | 5.8 | 3.9 | \$14,634 | \$85 |
| 45-64 | 45 | 12.9 | 3.5 | \$14,316 | \$185 |
| 65+ | 46 | 18.2 | 4.5 | \$15,267 | \$278 |

Malignant Neoplasms (Cancers): All

| | | | | | |
|-------|----|------|-----|----------|-------|
| Total | 59 | 3.6 | 5.1 | \$13,939 | \$51 |
| 18-44 | 3 | . | . | . | . |
| 45-64 | 15 | . | . | . | . |
| 65+ | 41 | 16.2 | 5.4 | \$13,406 | \$217 |

Neoplasms: Female Breast (rates for female population)

| | | | | | |
|-------|---|---|---|---|---|
| Total | 3 | . | . | . | . |
|-------|---|---|---|---|---|

Neoplasms: Colo-rectal

| | | | | | |
|-------|----|---|---|---|---|
| Total | 14 | . | . | . | . |
| 65+ | 11 | . | . | . | . |

Neoplasms: Lung

| | | | | | |
|-------|---|---|---|---|---|
| Total | 5 | . | . | . | . |
|-------|---|---|---|---|---|

Diabetes

| | | | | | |
|-------|----|-----|-----|---------|-----|
| Total | 21 | 1.3 | 4.1 | \$7,039 | \$9 |
| 65+ | 12 | . | . | . | . |

| DISEASE / AGE GROUP | Number | Per 1,000 Pop | Average Stay (Days) | Average Charge | Charge Per Capita |
|------------------------|--------|---------------------|---------------------------|-------------------|-------------------------|
|------------------------|--------|---------------------|---------------------------|-------------------|-------------------------|

Alcohol-Related

| | | | | | |
|-------|----|---|---|---|---|
| Total | 14 | . | . | . | . |
| 18-44 | 8 | . | . | . | . |
| 45-64 | 6 | . | . | . | . |

Pneumonia and Influenza

| | | | | | |
|-------|----|------|-----|---------|------|
| Total | 81 | 5.0 | 4.1 | \$6,730 | \$34 |
| <18 | 4 | . | . | . | . |
| 45-64 | 17 | . | . | . | . |
| 65+ | 55 | 21.8 | 4.5 | \$4 | \$0 |

Cerebrovascular Disease

| | | | | | |
|-------|----|------|-----|----------|-------|
| Total | 44 | 2.7 | 5.6 | \$11,370 | \$31 |
| 45-64 | 5 | . | . | . | . |
| 65+ | 38 | 15.0 | 4.6 | \$8,317 | \$125 |

Chronic Obstructive Pulmonary Disease

| | | | | | |
|-------|----|------|-----|---------|------|
| Total | 36 | 2.2 | 3.6 | \$5,808 | \$13 |
| <18 | 0 | . | . | . | . |
| 18-44 | 3 | . | . | . | . |
| 45-64 | 7 | . | . | . | . |
| 65+ | 26 | 10.3 | 3.8 | \$5,750 | \$59 |

Drug-Related

| | | | | | |
|-------|---|---|---|---|---|
| Total | 5 | . | . | . | . |
| 18-44 | 4 | . | . | . | . |

Total Hospitalizations

| | | | | | |
|-------|-------|-------|-----|----------|---------|
| Total | 1,465 | 90.1 | 4.0 | \$7,817 | \$704 |
| <18 | 225 | 51.9 | 2.8 | \$3,370 | \$175 |
| 18-44 | 338 | 57.1 | 2.9 | \$4,877 | \$279 |
| 45-64 | 286 | 82.0 | 4.3 | \$10,384 | \$851 |
| 65+ | 616 | 243.7 | 4.9 | \$9,863 | \$2,404 |

----- PREVENTABLE HOSPITALIZATIONS* -----

| | | | | | |
|-------|-----|------|-----|---------|-------|
| Total | 213 | 13.1 | 3.7 | \$6,135 | \$80 |
| <18 | 13 | 3.0 | 2.2 | \$3,665 | \$11 |
| 18-44 | 21 | 3.6 | 3.1 | \$4,808 | \$17 |
| 45-64 | 43 | 12.3 | 3.4 | \$7,093 | \$87 |
| 65+ | 136 | 53.8 | 4.0 | \$6,274 | \$338 |

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.